5

10

15

25

## **CLAIMS**

15

A television signal receiver (20) having an emergency alert 1. function, comprising:

first tuning means (23) for tuning first signals including video signals when said television signal receiver (20) is in an on mode;

second tuning means (25, 42) for tuning second signals including emergency alert signals when said television signal receiver (20) is in said on mode and an off/standby mode; and

wherein said emergency alert function is activated if said emergency alert signals indicate an emergency event corresponding to a user selected geographical area and a user selected event type.

- 2. The television signal receiver (20) of claim 1, wherein said second tuning means (42) is included in a modem apparatus (40).
  - 3. The television signal receiver (20) of claim 2, wherein said modem apparatus (40) is internal to said television signal receiver (20).
- 20 4. The television signal receiver (20) of claim 2, wherein said modem apparatus (40) is external to said television signal receiver (20).
  - The television signal receiver (20) of claim 4, wherein said 5. modem apparatus (40) includes alert means (47) for providing an alert output when said emergency alert function is activated.
  - The television signal receiver (20) of claim 5, wherein said alert 6. means (47) includes a visual output element (47a).
- 30 The television signal receiver (20) of claim 5, wherein said alert 7. means (47) includes an aural output element (47b).

ART 34 AMDT

5

10

20

30

8. A method (300) for controlling a television signal receiver (20) having an emergency alert function, comprising:

enabling a first tuner (23) to tune first signals including video signals when said television signal receiver (20) is in an on mode;

enabling a second tuner (25, 42) to tune second signals including emergency alert signals when said television signal receiver (20) is in said on mode and an off/standby mode; and

wherein said emergency alert function is activated if said emergency alert signals indicate an emergency event corresponding to a user selected geographical area and a user selected event type.

- 9. The method (300) of claim 8, wherein said second tuner (42) is included in a modern apparatus (40).
- 15 10. The method (300) of claim 9, wherein said modem apparatus (40) is internal to said television signal receiver (20).
  - 11. The method (300) of claim 9, wherein said modern apparatus (40) is external to said television signal receiver (20).
  - 12. The method (300) of claim 11, further comprised of providing an alert output via an alert system (47) of said modern apparatus (40) when said emergency alert function is activated.
- 25 13. The method (300) of claim 12, wherein said alert output includes a visual output.
  - 14. The method (300) of claim 12, wherein said alert output includes an aural output.
  - 15. A modem apparatus (40) having an emergency alert function, comprising:



5

10

20

25

a modulator (44) operative to modulate upstream signals provided to a network;

a demodulator (43) operative to demodulate downstream signals provided from said network, said downstream signals including emergency alert signals capable of activating said emergency alert function;

an alert system (47) operative to provide an alert output when said emergency alert function is activated; and

wherein said emergency alert function is activated if said emergency alert signals indicate an emergency event corresponding to a user selected geographical area and a user selected event type.

- 16. The modem apparatus (40) of claim 15, wherein said alert system (47) includes a visual output element (47a).
- 17. The modem apparatus (40) of claim 15, wherein said alert system (47) includes an aural output element (47b).
  - 18. The modem apparatus (40) of claim 15, wherein said network includes a cable network.
  - 19. The modern apparatus (40) of claim 15, wherein said network includes a DSL network.
    - 20. The modem apparatus (40) of claim 15, wherein:

said modem apparatus (40) is operatively coupled to an external device (20); and

said external device (20) provides a second alert output when said emergency alert function is activated.

30 21. The modem apparatus of claim 20, wherein said external device includes a television signal receiver (20).



US0332600# PCT/US2003/032600

22. The modern apparatus of claim 20, wherein said external device includes a computer.

5